

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List) Bach SIL "t" Additive	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I

Manufacturer's Name American Way Marketing LLC	Emergency Telephone Number
Address (Number, Street, City, State, and ZIP Code) 4561 Pinecreek Rd.	Telephone Number for Information 574-295-6633
Elkhart, IN 46516	Date Prepared 1/4/06
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
Appearance - Physical State - Liquid				

Section III - Physical/Chemical Characteristics

Boiling Point $> 200^{\circ}\text{C}$ at STP unless specified below Polymer	Specific Gravity ($\text{H}_2\text{O} = 1$) 0.9300 at 25°C (1.013 hPa)
Vapor Pressure (mm Hg) < 1.33 hPa (1.00 mmHg) at 20°C	Melting Point $< -25^{\circ}\text{C}$ at STP unless specified below
Vapor Density (AIR = 1) Heavier than air	Evaporation Rate (Butyl Acetate = 1) < 1
Solubility in Water insoluble	
Appearance and Odor Appearance - Physical State, Liquid Color - Clear, Colorless odor - mild	

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 137°C (280°F)	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media Small Fires - CO_2 , dry chemical Suitable - Large Fires - Alcohol type foam or universal type foams Unsuitable - None			
Special Fire Fighting Procedures Do not direct a solid stream of water or foam into hot, burning pools: this may cause frothing & increase fire intensity			
Unusual Fire and Explosion Hazards This material may			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid NONE KNOWN
	Stable XX		
Incompatibility (Materials to Avoid) NONE CURRENTLY KNOWN			
Hazardous Decomposition or Byproducts			
Hazardous Polymerization	May Occur		Conditions to Avoid NONE KNOWN
	Will Not Occur XX		

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? Short-term	Skin? NONE	Ingestion? NONE
Health Hazards (Acute and Chronic) ↓ Harmful health effects are not expected from vapor generated at ambient temperature			
Carcinogenicity: N/A	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure Overexposure - A knowledge of the available information and of the physical & chemical properties of the material suggests that overexposure is unlikely to aggravate existing medical conditions			
Medical Conditions Generally Aggravated by Exposure NO adverse effects anticipated from available information.			
Emergency and First Aid Procedures Swallowing - NONE, Skin - Wash skin w/ soap + water, Inhalation - NONE			
Eye Contact - flush eyes thoroughly w/ water for several min.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
 Wear suitable protective equipment, Prevent runoff,
 Cover w/ absorbent or contain. Collect for disposal
 Observe government regulations

Waste Disposal Method
 Incinerate in a furnace where permitted under appropriate
 Federal, State, and local regulations

Precautions to Be taken in Handling and Storing
 Normal precautions should be followed in handling + use

Other Precautions Traces of formaldehyde may be present if material is heated in air above 150°C (302°F). Formaldehyde is a potential cancer hazard, a known skin & respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, & digestive system. OSHA has established a PEL of 0.75 ppm, 8 hour TWA and 3 ppm, 15 min. STEL for formaldehyde. Provide ventilation adequate to control vapor exposure within inhalation guidelines when handling at elevated temperatures.
 Review the OSHA formaldehyde regulations for detailed information on safe handling requirements

Section VIII - Control Measures

Respiratory Protection (Specify Type) NONE		
Ventilation General	Local Exhaust	Special
	Mechanical (General)	Other
Protective Gloves PVC-coated 4H, Butyl, Neoprene, Nitrile (NBR)	Recommended use	Eye Protection Safety glasses
Other Protective Clothing or Equipment Eye bath, Safety shower		
Work/Hygienic Practices		

* U.S.G.P.O.: 1986 - 491 - 529/45775

[Back to Top](#)

<http://www.osha.gov/index.html>

[http://](#)

[Contact Us](#) | [Freedom of Information Act](#) | [Customer Survey](#)
[Privacy and Security Statement](#) | [Disclaimers](#)