

AKA - TAYLOR BAND & ORCHESTRA MOUTHPIECE SPRAY

MATERIAL SAFETY DATA SHEET

Players Music Accessories

MANUFACTURERS NAME:

ADDRESS:

BUSINESS PHONE: 480-833-2500

NAME OF PREPARER: G.M. Vestlund

CAROL HORN

DATE PREPARED: 12/2/93

Revised 06/01/94

P.O. Box 9210

Mesa, AZ. 85214

I. GENERAL

TRADE NAME: MOUTHPIECE CLEANER
 OTHER NAMES: STRING CLEANER
 Mixture - Water / surfactants / isopropanol

TELEPHONE NUMBERS
 EMERGENCY:
 CHEMTREC: 800 424-9300
 OFFICE: 510-633-4352

DOT Hazardous Materials Proper Shipping Name
 Compounds, cleaning liquid (contains isopropanol)
 3, UN1993, P II, ER660

CAS NUMBER:
 MIXTURE

II SUMMARY OF HAZARDS

Acute Health Effects: Mild-Eye and skin irritant
 Chronic Health Effects: None Known

NFPA Rating: Toxicity 1 Fire 1 Reactivity 0
 (4=Extreme, 3=High, 2=Moderate, 1=Slight, 0=Insignificant)

III FIRE AND EXPLOSION

Flash Point (Method) Autoignition Temperature Flammable Limits (%Volume in air)
 175 F TOC Unknown N/A Lower: N/A
 Upper: N/A

FIRE AND

EXPLOSION Never use welding or cutting torch on or near drum (even empty).
 HAZARD

EXTINGUISHIN Foam X Water Spray X Other
 MEDIA CO2 X Dry Chemicals X

SPECIAL Use fire fighting procedures proper to primary source of fire.
 FIREFIGHTING PROCEDURES Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

MATERIAL SAFETY DATA SHEET

IV HEALTH HAZARDS

INHALATION Prolonged exposure to mist could cause irritation to respiratory tract.

EYE Can cause irritation as any foreign body.

SKIN Exposure may cause mild skin irritation and dryness to skin.

INGESTION Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

CHRONIC HAZARDS None Known

HEALTH EFFECTS

V PROTECTIVE EQUIPMENT AND OTHER CONTROL MEASURES

RESPIRATORY A NIOSH/MSHA approved respirator is advised in absence of proper environmental control.

EYE Safety glasses.

SKIN Chemical Resistant Gloves

ENGINEERING CONTROLS Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TVL(s).

OTHER HYGIENIC AND WORK PRACTICES Train employees in proper handling procedures in this section before allowing them to work with this product.
Clean up spills immediately. Floors become slippery with even small amounts spilled.

VI OCCUPATIONAL EXPOSURE LIMITS

COMPONENT	CAS No.	EXPOSURE LIMITS IN AIR		
		ACGIH(TLV)	OSHA(PEL)	OTHER
ISOPROPANOL	67-63-0	40PPM	401PPM	

MATERIAL SAFETY DATA SHEET

V

EMERGENCY AND FIRST AID

INHALATION

Remove to fresh air. Treat symptomatically. Consult physician.

EYE CONTACT

Flush with water for at least 15 minutes.

SKIN CONTACT

Wash exposed area. Remove contaminated clothing and wash before reuse

INGESTION

Give large amounts of water. Never give anything to an unconscious person. Call Physician :

EMERGENCY PROCEDURES

CALL A PHYSICIAN.

VIII

SPILL AND DISPOSAL

PRECAUTION IF MATERIAL IS SPILLED OR RELEASED

Stop leak. Dam up area of spill. Dry floor with absorbant, Shovel into metal or plastic lined containers. Keep area clear of usual floor cleaner.

WASTE DISPOSAL METHODS

Dispose according to Local, State, & Federal Regulations

IX

COMPONENTS

(This may not be a complete list of components)

Component Name	CAS NO.	Component	% (BY WT)
ISOPROPANOL	67-63-0	• 1	5-25 %

*Listed by: 1-OSHA(air) 2-OSHA(regulated substance) 3-NTP(carcinogens)
4-ACGIH(chemicals) 5-IARC(human carcinogens)

MATERIAL SAFETY DATA SHEET

X

PHYSICAL AND CHEMICAL DATA

Boiling Point 212 F	Freezing Point 32°F	Dry Point N/A
Specific Gravity 0.86	pH conc. 7-7.5	pH dilute 1% 7-7.5
Solubility in Water Complete	Evaporation Rate (water)	Stability Stable
Vapor Density Unknown	Vapor Pressure Unknown	Viscosity Units, Temp. (Method) N/A
Material To Avoid Strong oxidizing agents	Conditions To Avoid DO NOT FREEZE	Hazardous Polymerization Will not occur
Appearance and Odor	Blue liquid: Smells of Isopropanol	

XI

ADDITIONAL PRECAUTIONS

HANDLING, Containers of this material may be hazardous when emptied.

STORAGE AND Treat as if full.

PROCEDURES Do not allow the product to freeze. Keep the container closed to avoid contamination.

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.